

Work Order ID 85457

June-08-12 10:01:58 AM

85457

Page 1

Item ID: D3537-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Wearpad

Stop

NS2

Start Date: 08/06/2012 Start Qty: 50.00

50

Cust Item ID:

Required Date: 22/06/2012 Req'd Qty: 50.00

50

Customer:

Reference:

Approvals:

Process Plan: MLJ

Date: 12/06/08

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3537	Rev C								
100		0.00							
100	FLOW WATER JET					<u>50</u>	<u>0</u>		<u>Jm</u>
Waterjet	Memo	0.00							<u>12-6-9</u>
FLOW CNC Waterjet	1-Cut as per Dwg D3537Dwg Rev: <u>C</u> Prog Rev: <u>C</u> 2-Deburr								
304 .063	if necessary								
110		0.00							
110	QC2- Inspect parts off machine FAI/FAIB					<u>50</u>	<u>0</u>		<u>Jm</u>
QC	Memo	0.00							<u>12-6-9</u>
Quality Control									
120		0.00							
120	QC8- Inspect parts - second check								
QC	Memo	0.00							
Quality Control									

located
(Y)O

85457

June-08-12 10:01:58 AM

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 08/06/2012 **Start Qty:** 50.00

50

Cust Item ID:

Required Date: 22/06/2012 **Req'd Qty:** 50.00

50

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____
QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run Start *NR1*

Stop *NR2*

[illegible]

NCR: ☒ Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DOA: 12/01/04 Date: 12/01/04QA Closed: 12/21/05 Date: 12/21/05

Work Order: <u>85457</u>	DISPOSITION Rework <input type="checkbox"/> Scrap <input checked="" type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS			
Part No. <u>D3537-1</u>		Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Engineering <input type="checkbox"/>
NCR No. <u>12-1588</u>		Machining <input type="checkbox"/>	Small Fab <input checked="" type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Quality <input type="checkbox"/>
		Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Supplier <input type="checkbox"/>	
		Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Other <input checked="" type="checkbox"/>	

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator	12/01/13	#	(81)	Part found with a notch on top of hole		Scrap + Destroy			
Material		100		Re. Parts were cut too close together: water jet operator	12/01/13	no Rebar	12/01/13	12/01/13	12/01/13
Offset/Setup									
Other									
Process									
Supplier									
Training									
Unauthorized									

FAULT CATEGORY

Landing Gear	Hardware	General	Maintenance	Set-up
<input type="checkbox"/> Bending Passes Below Min	<input type="checkbox"/> Breaking	<input type="checkbox"/> Burrs	<input type="checkbox"/> Mislabeled	<input type="checkbox"/> Supplier
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> Missing	<input type="checkbox"/> Contamination	<input type="checkbox"/> Off-Set	<input type="checkbox"/> Temperature/Cure
<input type="checkbox"/> Cracks	<input type="checkbox"/> Size/Length	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Orientation Misread	<input type="checkbox"/> Weld
<input type="checkbox"/> Crushed/Crimp at Bending	<input type="checkbox"/> Spinning	<input type="checkbox"/> Documentation/Data	<input type="checkbox"/> Out of Calibration	<input type="checkbox"/> Wrong Stock Pulled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Threading	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Other
<input type="checkbox"/> Other	<input type="checkbox"/> Wrong	<input type="checkbox"/> Inspection Incomplete	<input type="checkbox"/> Outside Dimensions	
<input type="checkbox"/> Positioned Wrong	Drill Holes	<input type="checkbox"/> Inspection Unqualified	<input type="checkbox"/> Over/Under tolerance	
<input type="checkbox"/> Ripples on Inner Bend	<input type="checkbox"/> Misaligned	<input type="checkbox"/> Instructions Incomplete/Unclear	<input type="checkbox"/> Part Lost	
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Ovalized	<input type="checkbox"/> Jigs/Fixtures/Tooling	<input checked="" type="checkbox"/> Part Moved	
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Over/Undersized	<input type="checkbox"/> Kit Incorrect	<input type="checkbox"/> Raw Material	
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Too Many	<input type="checkbox"/> Kit Missing		

Work Order ID 85457

85457

Page 3

June-08-12 10:01:58 AM

Item ID: D3537-1

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Wearpad

Start Date: 08/06/2012 Start Qty: 50.00

50

Cust Item ID:

Required Date: 22/06/2012 Req'd Qty: 50.00

50

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC5- Inspect part completeness to step on W/O

0.00

160

QC

Memo

0.00

Quality Control

170

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

0.00

170

Powdercoat

Memo

0.00

Powder Coating

START TIME:

7h25

OVEN TEMPERATURE:

320°F FINISH TIME:

7h55

m121279.

49

2

2P

12/06/28.

180

QC3- Inspect Part Finish

0.00

180

QC

Memo

0.00

Quality Control

49

0

12/06-28.

Work Order ID 85457

85457

Page 4

June-08-12 10:01:58 AM

Item ID: D3537-1

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Wearpad

Stop ***NS2***

Start Date: 08/06/2012 Start Qty: 50.00

50

Cust Item ID:

Required Date: 22/06/2012 Req'd Qty: 50.00

50

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	Identify as per dwg & Stock Location: <u>FP-1</u>	0.00							
190									
Packaging	Memo	0.00				x49	6	11	11/06/28
Packaging									
200	QC21- Final Inspection - Work Order Release	0.00							
200									
QC	Memo	0.00							
Quality Control									

12/0/28

ME
12-06-28

Picklist Print

June-08-12 10:02:01 AM

Page 1

Work Order ID: 85457

85457

Parent Item: D3537-1

D3537-1

Parent Item Name: Wearpad

Start Date: 08/06/2012

Required Date: 22/06/2012

Start Qty: 50.00

Required Qty: 50.00

Comments: IPP Rev:A New Issue 07-02-14 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased	No			100	sf	122.6624	0.106	5.578947			

M304S16GA

**

304/316 Sheet .063

Location

Loc Qty

Loc Code

MAT020

122.662433

121626

21.4778


121889

101.184633


121626

Jm
12-6-9

D3537-1F FLAT PATTERN



D3537-3F FLAT PATTERN




UNCONTROLLED COPY
SUBJECT TO AMENDMENT


WITHOUT NOTICE
WORK ORDER

NO. 05457 MLJ 12/06/08


D3537-1 LONGITUDINAL BEND (MADE FROM D3537-1F)



D3537-3 LONGITUDINAL BEND (MADE FROM D3537-3F)




D3537-5 LONGITUDINAL BEND (MADE FROM D3537-1F)



D3537-1/-3/-5/-7 WEARPAD NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 16 GAUGE (0.063 THICK)
(REF DART SPEC. M304S16GA)
- 2) BREAK ALL SHARP CORNERS 0.063 MAX
- 3) WELD PER QSI 004
- 4) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

SECTION A-A



APPLY 2 LAYERS OF
2059B HARDCOAT WELDS
TO WITHIN 0.25 OF
WEARPAD ENDS
0.188 TO 0.250 THICK


SECTION B-B



D2941-300
REMOVE POWDER
COAT FROM THESE
SURFACES

RELEASED
07.05.08 PM
Per ECA
962

D3537-7 LONGITUDINAL BEND (MADE FROM D3537-3F)



COPYRIGHT © 2006 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE USA, INC.

C	07.04.13	WIDEN TAB TO 0.380, WELD PATTERN
B	07.03.20	ADD AMS 5513 AND AMS 5524
A	06.11.06	NEW ISSUE
DESIGN	CB	DRAWN BY PH
CHECKED	A	APPROVED A
DATE	07.04.13	TITLE WEARPAD
DRAWING NO.	D3537	REV. C
		SHEET 1 OF 1
		SCALE 1:2

DART DART AEROSPACE USA, INC.
PORT HADLOCK, MA